

Mutual 10 Tree Log

Updated 11/15/15

Zone	Site	Latin Name	Common Name	Building Number	Maintenance Now	Next Service	Priority	Removal	Climber?	Last Updated	Notes
1	1	<i>Callistemon citrinus</i>	Lemon Bottlebrush	257A	0.33	Fall	Medium	No	No	11/15/2015	roof clearance, crown raise to 5ft
1	2	<i>Callistemon citrinus</i>	Lemon Bottlebrush	257B	0.33	Fall	Medium	No	No	11/15/2015	roof clearance, crown raise to 5ft
1	3	<i>Callistemon citrinus</i>	Lemon Bottlebrush	257D	0.33	Fall	Medium	No	No	11/15/2015	roof clearance, crown raise to 5ft
1	4	<i>Lagerstroemia indic</i>	Crape Myrtle	257F	0.00	Fall	Low	No	No	11/15/2015	no action
1	5	<i>Vacant</i>	Vacant	256G		N/A	Low	No	No	7/25/2015	small site
1	6	<i>Vacant</i>	Vacant	256H		N/A	Low	No	No	7/25/2015	small site
1	7	<i>Bauhinia x blakeana</i>	Hong Kong Orchid	256I	0.25	Winter	Medium	No	No	7/25/2015	clearance/form correction
1	8	<i>Vacant</i>	Vacant	256K		N/A	Low	No	No	7/25/2015	small site
1	9	<i>Magnolia grandiflora</i>	Southern Magnolia	256L	0.33	Fall	Medium	No	No	7/25/2015	clearance to 8 feet
1	10	<i>Lophostemon confertus</i>	Brisbane Box	256A	0.25	Winter	Low	No	No	7/25/2015	clearance to 8 feet
1	11	<i>Alnus rhombifolia</i>	White Alder	256A	1.50	Winter	low	No	Yes	7/25/2015	clearance to 8 feet
1	12	<i>Schinus terebinthifolius</i>	Brazilian Pepper	258I	1.00	Winter	High	No	No	7/25/2015	clearance to 8 feet
1	13	<i>Ginkgo biloba</i>	Maidenhair Tree	258L	0.00	Fall	Low	No	No	7/25/2015	no action
1	14	<i>Cupaniopsis anacardioides</i>	Carrotwood	258A	0.50	Spring	Medium	No	No	7/25/2015	defect removal/crown raising to 8ft
1	15	<i>Jacaranda mimosifolia</i>	Jacaranda	259F	0.50	Winter	Medium	No	No	7/25/2015	defect removal/crown raising to 8ft
1	16	<i>Lagerstroemia indic</i>	Crape Myrtle	259F	0.00	Fall	Low	No	No	7/25/2015	no action
1	17	<i>Callistemon citrinus</i>	Lemon Bottlebrush	259G	0.50	Spring	Low	No	No	7/25/2015	clearance to 6ft
1	18	<i>Harpephyllum caffrum</i>	South African Wild PI	259H	0.30	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
1	19	<i>Ficus elastica</i>	Rubber Tree	259I	4.00	Spring	Medium	No	Yes	7/25/2015	monitor cavity; remove branches in conflict with neighbor pepper tree, clearance to 12 feet
1	20	<i>Schinus terebinthifolius</i>	Brazilian Pepper	259I	0.75	Spring	Medium	No	No	7/25/2015	crown raising to 8 ft
1	21	<i>Vacant</i>	Vacant	259I			Medium	No	No	7/25/2015	succession shade tree
1	22	<i>Ficus elastica</i>	Rubber Tree	259I	4.00	Spring	Medium	No	Yes	7/25/2015	clearance to 12ft, remove branches in conflict with neighbor pepper tree and alder tree
1	23	<i>Alnus rhombifolia</i>	White Alder	260L	2.50	Winter	low	No	Yes	7/25/2015	monitor decay/fringe raising to 10ft; prune space from ficus and liquidambar trees
1	24	<i>Liquidambar styraciflua</i>	Sweet Gum	260L	2.50	Winter	Medium	No	No	7/25/2015	monitor cavity; raise fringe to 10ft
1	25	<i>Juniper chinensis</i>	Hollywood Juniper	260L	0.00	Spring	Low	No	No	7/25/2015	no action
1	26	<i>Liquidambar styraciflua</i>	Sweet Gum	260A	0.50	Fall	Medium	No	No	11/15/2015	fringe raise to 10 ft, monitor cavity
1	27	<i>Ceratonia siliqua</i>	Carob Tree	259J	0.50	Winter	Medium	No	No	7/25/2015	clearance to 8 ft, deadwood removal
1	28	<i>Schinus terebinthifolius</i>	Brazilian Pepper	260L	1.00	Spring	Medium	No	No	7/25/2015	clearance to 12ft
1	29	<i>Ficus elastica</i>	Rubber Tree	260I	6.00	Winter	Medium	No	Yes	7/25/2015	clearance to 12 ft; remove defect branches; retain as much foliage as possible
1	30	<i>Prunus spp.</i>	Ornamental Plum	260K	0.50	Winter	Medium	No	No	7/25/2015	clearance
1	31	<i>Vacant</i>	Vacant	260B		N/A	Medium	No	No	7/25/2015	small site full sun
1	32	<i>Callistemon citrinus</i>	Lemon Bottlebrush	P124	0.75	Spring	Medium	No	No	7/25/2015	2ft line clearance, ground clearance to 8ft
1	33	<i>Callistemon citrinus</i>	Lemon Bottlebrush	P123	0.50	Spring	Medium	No	No	7/25/2015	8ft ground clearance
1	34	<i>Juniper chinensis</i>	Hollywood Juniper	260G	0.00	2017	Low	No	No	7/25/2015	no action
1	35	<i>Callistemon citrinus</i>	Lemon Bottlebrush	260H	0.50	Spring	Medium	No	No	7/25/2015	3ft building clearance, 8ft clearance over sidewalk
1	36	<i>Schinus terebinthifolius</i>	Brazilian Pepper	259A	1.50	Winter	high	No	No	11/15/2015	clearance to 10 ft
1	37	<i>Callistemon citrinus</i>	Lemon Bottlebrush	259A	0.25	Fall	Medium	No	No	11/15/2015	clearance to 8ft
1	38	<i>Oleander nerium</i>	Oleander	259A	0.00	Fall	Low	No	No	7/25/2015	no action
1	39	<i>Callistemon citrinus</i>	Lemon Bottlebrush	259L	0.25	Fall	Medium	No	No	11/15/2015	clearance to 8ft
1	40	<i>Vacant</i>	Vacant	259A		N/A	High	No	No	7/25/2015	small site, western exposure
1	41	<i>Vacant</i>	Vacant	259C		N/A	High	No	No	7/25/2015	small site, western exposure
1	42	<i>Vacant</i>	Vacant	259D		N/A	High	No	No	7/25/2015	small site, western exposure
1	43	<i>Vacant</i>	Vacant	259F		N/A	high	No	No	7/25/2015	small site, western exposure
1	44	<i>Lagerstroemia indica</i>	Crape Myrtle	258B	0.00	Fall	Low	No	No	7/25/2015	no action
1	45	<i>Pittosporum undulata</i>	Victorian box	258C	0.25	Spring	Low	No	No	7/25/2015	gentle crown raise to 8ft

Mutual 10 Tree Log

Updated 11/15/15

Zone	Site	Latin Name	Common Name	Building Number	Maintenance Now	Next Service	Priority	Removal	Climber?	Last Updated	Notes
1	46	<i>Bauhinia x blakeana</i>	Hong Kong Orchid	258E	0.15	Fall	Medium	No	No	11/15/2015	gentle structural training; remove deadwood
1	47	<i>Pyrus kawakamii</i>	Evergreen Pear	258G	1.50	Winter	Medium	No	No	7/25/2015	remove fireblight, clearance to 8ft
1	48	Vacant	Vacant	256A		N/A	High	No	No	7/25/2015	shade tree
1	49	<i>Liquidambar styraciflua</i>	Sweet Gum	256B	0.25	Winter	Medium	No	No	11/15/2015	clearance to 10 ft
1	50	<i>Harpephyllum caffrum</i>	South African Wild Pl	256D	0.50	Spring	Medium	No	No	7/25/2015	inspect weeping sites/clearance to 6-8ft
1	51	Vacant	Vacant	257G		N/A	Medium	No	No	7/25/2015	small site
1	52	Vacant	Vacant	256E		N/A	Medium	No	No	7/25/2015	small site
2	1	<i>Callistemon citrinus</i>	Lemon Bottlebrush	246H	0.30	Winter	High	No	No	7/25/2015	clearance
2	2	<i>Callistemon citrinus</i>	Lemon Bottlebrush	246K	0.30	Winter	High	No	No	7/25/2015	clearance
2	3	<i>Pittosporum undulatum</i>	Victorian box	246B	0.16	Fall	Low	No	No	11/15/2015	deadwood removal; clearance to 8ft
2	4	<i>Bauhinia x blakeana</i>	Hong Kong Orchid	247K	0.25	Spring	High	No	No	11/15/2015	clearance to 6ft
2	5	<i>Ficus microcarpa</i>	Indian Laurel Fig	246E	2.00	Winter	High	YES	No	7/25/2015	clearance to 10ft
2	6	<i>Lagerstroemia indica</i>	Crape Myrtle	247H	0.25	Winter	Low	No	No	7/25/2015	remove weak crossing southern trunk, prune clearance for lawnmower
2	7	<i>Callistemon citrinus</i>	Lemon Bottlebrush	247F	0.50	Spring	Medium	No	No	7/25/2015	clearance: 3ft over roof, 8ft over sidewalk; retain as much foliage as possible
2	8	<i>Cupaniopsis anacardioides</i>	Carrotwood	247F	0.33	Fall	Low	No	No	11/15/2015	8ft clearance
2	9	<i>Bauhinia x blakeana</i>	Hong Kong Orchid	249F	0.00	Spring	Medium	No	No	7/25/2015	no action
2	10	<i>Fraxinus uhdei</i>	Shamel Ash	249F	2.00	Winter	Low	No	Yes	7/25/2015	clearance to 12ft, remove weaker crossing branches but retain sufficient interior growth
2	11	<i>Callistemon citrinus</i>	Lemon Bottlebrush	249G	0.25	Winter	Medium	No	No	7/25/2015	clearance to 6ft
2	12	<i>Cupaniopsis anacardioides</i>	Carrotwood	248F	0.75	Winter	High	No	No	7/25/2015	clearance to 8ft
2	13	<i>Schinus terebinthifolius</i>	Brazilian Pepper	248F	0.75	Winter	High	No	No	7/25/2015	clearance to 6ft
2	14	<i>Cupaniopsis anacardioides</i>	Carrotwood	247C	0.75	Spring	Medium	No	No	7/25/2015	clearance to 8ft
2	15	<i>Schinus terebinthifolius</i>	Brazilian Pepper	248G	0.25	Winter	Medium	No	No	7/25/2015	clearance to 8ft
2	16	<i>Callistemon citrinus</i>	Lemon Bottlebrush	247B	0.25	Spring	Medium	No	No	7/25/2015	clearance over sidewalk 8ft and over roof 3ft
2	17	<i>Pittosporum undulatum</i>	Victorian box	247A	0.50	Spring	Medium	No	No	7/25/2015	clearance over sidewalk 8ft and over roof 3ft
2	18	<i>Thuja plicata</i>	Red Cedar	248G	0.00	Spring	Low	No	No	7/25/2015	no action
2	19	<i>Callistemon citrinus</i>	Lemon Bottlebrush	248I	0.50	Spring	Medium	No	No	7/25/2015	clearance over sidewalk 8ft and over roof 3ft
2	20	<i>Juniper chinensis</i>	Hollywood Juniper	248L	0.00	Spring	Low	no	No	7/25/2015	no action
2	21	<i>Grevillea robusta</i>	Silk Oak	248L	2.00	Fall	Medium	No	Yes	7/25/2015	canopy restoration/deadwood removal, aerial inspection
2	22	<i>Fraxinus uhdei</i>	Shamel Ash	248L	4.00	Fall	Medium	No	Yes	11/15/2015	defect removal, aerial inspection, clearance to 12ft
2	23	<i>Callistemon citrinus</i>	Lemon Bottlebrush	248A	0.50	Winter	Medium	No	No	7/25/2015	clearance to 8ft
2	24	<i>Pyrus kawakamii</i>	Evergreen Pear	248A	0.50	Winter	Low	no	No	7/25/2015	remove fireblight, clearance to 8ft
2	25	<i>Pyrus kawakamii</i>	Evergreen Pear	248A	1.00	Winter	Low	no	No	7/25/2015	remove fireblight, clearance to 8ft
2	26	<i>Schinus terebinthifolius</i>	Brazilian Pepper	249L	0.50	Winter	Medium	No	No	7/25/2015	clearance to 6-8ft
2	27	<i>Lagerstroemia indica</i>	Crape Myrtle	249L	0.00	Fall	Low	No	No	7/25/2015	no action
2	28	<i>Lagerstroemia indica</i>	Crape Myrtle	249L	0.00	Fall	Low	No	No	7/25/2015	no action
2	29	<i>Syagrus romanzoffiana</i>	Queen Palm	249K	0.50	Winter	Medium	No	No	7/25/2015	remove dead fronds and fruiting structures
2	30	<i>Ceratonia siliqua</i>	Carob Tree	249K	4.00	Winter	Medium	No	Yes	7/25/2015	fringe raising to 8ft, inspect for damaged branches, remove hazards
2	31	<i>Pinus radiata</i>	Monterey Pine	249J	0.00	Fall	Low	No	No	7/25/2015	no action
2	32	<i>Pinus radiata</i>	Monterey Pine	249I	0.00	Fall	Low	No	No	7/25/2015	no action
2	33	<i>Pinus radiata</i>	Monterey Pine	249G	0.00	Fall	Low	No	No	7/25/2015	no action
2	34	<i>Parkinsonia spp.</i>	Littleleaf Palo Verde	249F	0.10	Fall	Medium	No	No	7/25/2015	remove stakes if ready
2	35	<i>Morus alba</i>	Fruitless Mulberry	249F	2.00	Fall	High	No	No	11/15/2015	crown raise to 8ft
2	36	<i>Harpephyllum caffrum</i>	South African Wild Pl	250H	0.25	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
2	37	<i>Harpephyllum caffrum</i>	South African Wild Pl	250J	0.25	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
2	38	<i>Ceratonia siliqua</i>	Carob Tree	249D	0.75	Spring	Medium	No	No	7/25/2015	retain scaffold, gentle raising to 8ft
2	39	<i>Albizia julibrissin</i>	Persian Silk Tree	249C	1.00	Spring	Medium	No	No	7/25/2015	clearance to 8ft, prune back branches contacting neighboring trees

Mutual 10 Tree Log

Updated 11/15/15

Zone	Site	Latin Name	Common Name	Building Number	Maintenance Now	Next Service	Priority	Removal	Climber?	Last Updated	Notes
2	40	<i>Harpephyllum caffrun</i>	South African Wild PI	250K	0.25	Spring	Medium	No	No	7/25/2015	clearance over sidewalk 8ft and over roof 3ft
2	41	<i>Pittosporum undulatu</i>	Victorian box	249B	0.25	Spring	Low	No	No	7/25/2015	clearance for lawnmower
2	42	<i>Alnus rhombifolia</i>	White Alder	250L	2.00	Winter	high	No	Yes	7/25/2015	aerial inspection, clearance to 10ft, watch for bird nest
2	43	<i>Ginkgo biloba</i>	Ginkgo Tree	249A	2.00	Winter	Medium	No	Yes	7/25/2015	lighten fringe over roof to mitigate limb failure, raise crown to 8ft
2	44	<i>Oleander nerium</i>	Oleander	249A	0.00	Winter	Low	No	No	7/25/2015	no action, eventual removal
2	45	<i>Bauhinia x blakeana</i>	Hong Kong Orchid	249A	0.25	Fall	Medium	No	No	7/25/2015	clearance and scaffold training
2	46	<i>Juniper chinensis</i>	Hollywood Juniper	249A	0.00	Spring	Low	No	No	7/25/2015	no action
2	47	<i>Callistemon citrinus</i>	Lemon Bottlebrush	249A	1.00	Winter	Medium	No	No	7/25/2015	crown raise to 6ft
2	48	<i>Lagerstroemia indica</i>	Crape Myrtle	249A	0.00	Spring	Low	No	No	7/25/2015	no action
2	49	<i>Schinus terebinthifoliu</i>	Brazilian Pepper	251L	1.00	Winter	High	No	No	7/25/2015	clearance to 8-10ft
2	50	<i>Pittosporum undulatu</i>	Victorian box	250B	0.25	Spring	Low	No	No	7/25/2015	clearance to 6ft
2	51	<i>Pittosporum undulatu</i>	Victorian box	251K	0.25	Spring	Low	No	No	7/25/2015	clearance to 6ft
2	52	<i>Juniper chinensis</i>	Hollywood Juniper	251J	0.00	Spring	Low	No	No	7/25/2015	no action
2	53	<i>Lagerstroemia indica</i>	Crape Myrtle	250C	0.00	Winter	Low	No	No	7/25/2015	no action
2	54	<i>Lagerstroemia indica</i>	Crape Myrtle	250E	0.25	Fall	Low	No	No	7/25/2015	clearance to 6ft
2	55	<i>Bauhinia x blakeana</i>	Hong Kong Orchid	251H	0.25	Spring	Medium	No	No	7/25/2015	structural training, clearance to 6ft
2	56	<i>Jacaranda mimosifolic</i>	Jacaranda	254L	0.75	Spring	Medium	No	No	7/25/2015	structural training/crown raising to 8-10ft
2	57	<i>Callistemon citrinus</i>	Lemon Bottlebrush	254L	0.50	Spring	Medium	No	No	7/25/2015	clearance to 8ft
2	58	<i>Callistemon citrinus</i>	Lemon Bottlebrush	254A	0.50	Spring	Medium	No	No	7/25/2015	clearance to 8ft
2	59	<i>Harpephyllum caffrun</i>	South African Wild PI	251E	0.50	Spring	Medium	No	No	7/25/2015	clearance to 8ft
2	60	<i>Callistemon citrinus</i>	Lemon Bottlebrush	251D	0.50	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
2	61	<i>Vacant</i>	Vacant	251C						11/15/2015	pine tree was removed
2	62	<i>Schinus terebinthifoliu</i>	Brazilian Pepper	254B	0.50	Spring	Medium	No	No	7/25/2015	clearance to 6-8ft, remove deadwood
2	63	<i>Morus alba</i>	Fruitless Mulberry	254C	1.00	Winter	High	No	No	7/25/2015	structural training, clearance to 8ft
2	64	<i>Harpephyllum caffrun</i>	South African Wild PI	254D	0.25	Fall	Medium	No	No	11/15/2015	clearance to 8ft over sidewalk and 3ft over roof
2	65	<i>Lophostemon confertu</i>	Brisbane Box	254E	0.00	Fall	Medium	No	No	7/25/2015	no action
2	66	<i>Vacant</i>	Vacant	254F						11/15/2015	removed south african plum tree
2	67	<i>Morus alba</i>	Fruitless Mulberry	255L	1.50	Spring	High	No	No	7/25/2015	structural training, clearance to 8ft, remove downpointers
2	68	<i>Lagerstroemia indica</i>	Crape Myrtle	255L	0.00	Fall	Low	No	No	7/25/2015	no action
2	69	<i>Magnolia grandiflo</i>	Southern Magnolia	255A	0.75	Winter	Low	No	No	7/25/2015	clearance to 8ft
2	70	<i>Callistemon citrinus</i>	Lemon Bottlebrush	251A	0.33	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
2	71	<i>Callistemon citrinus</i>	Lemon Bottlebrush	255B	0.33	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
2	72	<i>Lagerstroemia indica</i>	Crape Myrtle	255C	0.00	Fall	Low	No	No	7/25/2015	no action
2	73	<i>Bauhinia x blakeana</i>	Hong Kong Orchid	255F	0.25	Fall	Medium	No	No	11/15/2015	structural training, clearance to 6ft
2	74	<i>Vacant</i>	Vacant	254G		N/A	high	No	No	7/25/2015	shade tree
2	75	<i>Vacant</i>	Vacant	254G						7/25/2015	removed ficus tree
2	76	<i>Pinus canariensis</i>	Canary Island Pine	253F	3.00	Fall	Medium	No	Yes	11/15/2015	fringe raising to 12ft, aerial inspection
2	77	<i>Vacant</i>	Vacant	253E						11/15/2015	olive tree removed
2	78	<i>Callistemon citrinus</i>	Lemon Bottlebrush	253E	0.25	Winter	low	No	No	7/25/2015	minor fringe raising to 8ft
2	79	<i>Callistemon citrinus</i>	Lemon Bottlebrush	254H	0.25	Fall	Medium	No	No	11/15/2015	clearance to 8ft over sidewalk and 3ft over roof
2	80	<i>Vacant</i>	Vacant	254I						7/25/2015	removed ficus tree
2	81	<i>Callistemon citrinus</i>	Lemon Bottlebrush	253C	0.25	Winter	High	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
2	82	<i>Ginkgo biloba</i>	Maidenhair Tree	254K	1.00	Fall	Medium	No	Yes	11/15/2015	inspect safety line, prune clearance to 10ft
2	83	<i>Callistemon citrinus</i>	Lemon Bottlebrush	254L	0.25	Winter	High	No	No	11/15/2015	clearance to 6-8ft
2	84	<i>Callistemon citrinus</i>	Lemon Bottlebrush	253A	0.25	Winter	High	No	No	11/15/2015	clearance to 6-8ft
2	85	<i>Ficus microcarpa</i>	Indian Laurel Fig	253L	1.50	Winter	High	YES	No	7/25/2015	clearance to 12ft, 5ft over roof, eventual removal

Mutual 10 Tree Log

Updated 11/15/15

Zone	Site	Latin Name	Common Name	Building Number	Maintenance Now	Next Service	Priority	Removal	Climber?	Last Updated	Notes
2	86	<i>Ceratonia siliqua</i>	Carob Tree	252A	0.50	Spring	Medium	No	No	7/25/2015	clearance to 6-8ft
2	87	<i>Pyrus kawakamii</i>	Evergreen Pear	252C	0.75	Winter	Medium	No	No	7/25/2015	remove fireblight, clearance to 8ft over sidewalk and 5ft over roof
2	88	<i>Callistemon citrinus</i>	Lemon Bottlebrush	253J	0.50	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
2	89	<i>Lophostemon confertus</i>	Brisbane Box	253H	0.10	Fall	Medium	No	No	7/25/2015	inspect stakes, remove stakes if ready
2	90	<i>Ginkgo biloba</i>	Ginkgo Tree	252E	0.10	Winter	High	no	no	7/25/2015	inspect new installation
2	91	<i>Callistemon citrinus</i>	Lemon Bottlebrush	252H	0.50	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
2	92	<i>Callistemon citrinus</i>	Lemon Bottlebrush	252I	0.50	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
2	93	<i>Ficus microcarpa</i>	Indian Laurel Fig	252K	3.00	Winter	High	YES	No	7/25/2015	clearance to 12ft; must block parking space the night before for safety (eventual removal)
2	94	<i>Lagerstroemia indica</i>	Crape Myrtle	255K	0.00	fall	low	no	no	7/25/2015	no action
2	95	<i>Callistemon citrinus</i>	Lemon Bottlebrush	253F	0.25	winter	low	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
3	1	<i>Ilex spp.</i>	Holly Tree	238A	0.25	Spring	Medium	No	No	7/25/2015	crown raise to 4-6ft, as appropriate
3	2	<i>Melaleuca quinqueflora</i>	Paperbark Tree	238C	0.25	Fall	Medium	No	No	11/15/2015	clearance to 8ft, retain all scaffold branches
3	3	Vacant	Vacant	238E		N/A	Medium	No	No	7/25/2015	small site, full sun
3	4	<i>Lagerstroemia indica</i>	Crape Myrtle	238H	0.50	Winter	high	No	No	7/25/2015	structural training to strongest scaffold
3	5	<i>Callistemon vimina</i>	Bottlebrush	238J	0.25	Spring	Medium	No	No	7/25/2015	clearance
3	6	<i>Lagerstroemia indica</i>	Crape Myrtle	238L	0.00	Spring	Low	No	No	7/25/2015	no action
3	7	<i>Lagerstroemia indica</i>	Crape Myrtle	239A	0.50	Winter	Medium	No	No	7/25/2015	structural training to strongest scaffold
3	8	<i>Callistemon viminalis</i>	Bottlebrush	239C	0.25	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
3	9	<i>Lagerstroemia indica</i>	Crape Myrtle	239E	0.25	Winter	Medium	No	No	7/25/2015	structural training to strongest scaffold
3	10	<i>Lagerstroemia indica</i>	Crape Myrtle	239G	0.25	Fall	Medium	No	No	11/15/2015	sidewalk clearance
3	11	Vacant	Vacant	239H		N/A	Medium	No	No	7/25/2015	small site
3	12	<i>Callistemon viminalis</i>	Bottlebrush	240L	0.20	Spring	Medium	No	No	7/25/2015	clearance to 8ft
3	13	<i>Callistemon viminalis</i>	Bottlebrush	240A	0.20	Spring	Medium	No	No	7/25/2015	clearance to 8ft
3	14	<i>Callistemon viminalis</i>	Bottlebrush	240A	0.20	Spring	Medium	No	No	7/25/2015	clearance to 6ft
3	15	<i>Cupaniopsis anacardi</i>	Carrotwood	240B	0.50	Spring	Medium	No	No	7/25/2015	reduction over sidewalk, interior scaffolding pruning
3	16	<i>Schinus molle</i>	California Pepper	240C	0.66	Winter	Medium	No	No	7/25/2015	clearance to 6-8ft
3	17	<i>Ficus microcarpa</i>	Indian Laurel Fig	240E	3.00	Spring	High	Yes	No	7/25/2015	clearance to 12ft, eventual removal
3	18	<i>Lagerstroemia indica</i>	Crape Myrtle	240F	0.00	Spring	Low	No	No	7/25/2015	no action
3	19	<i>Morus alba</i>	Fruitless Mulberry	240G	1.25	Winter	Medium	No	No	7/25/2015	crown raising to 8ft, remove downpointers, reduce length of long shoots to promote lateral branching
3	20	<i>Pinus radiata</i>	Monterey Pine	241F	0.00	Spring	Low	No	No	7/25/2015	no action
3	21	<i>Salix babylonica</i>	Weeping Willow	241F	4.00	Winter	High	No	Yes	7/25/2015	crown raising to 12ft, 8ft over roof
3	22	<i>Callistemon citrinus</i>	Bottlebrush	241F	0.25	Fall	Medium	No	No	11/15/2015	clearance to 8ft over sidewalk and 3ft over roof
3	23	<i>Alnus rhombifolia</i>	White Alder	241F	0.50	Spring	Medium	No	No	7/25/2015	clearance to 10-12 ft
3	24	<i>Callistemon citrinus</i>	Bottlebrush	240I	0.25	Fall	Medium	No	No	11/15/2015	clearance to 8ft over sidewalk and 3ft over roof
3	25	<i>Callistemon citrinus</i>	Bottlebrush	241C	0.25	Fall	Medium	No	No	11/15/2015	clearance to 8ft over sidewalk and 3ft over roof
3	26	<i>Liquidambar styrac</i>	Sweet Gum	241D	0.25	Fall	Medium	No	No	11/15/2015	remove deadwood, train structurally
3	27	<i>Metrosideros excels</i>	New Zealand Christm	240K	0.75	Fall	Medium	No	No	11/15/2015	clearance to 6-8ft
3	28	<i>Liquidambar styraciflu</i>	Sweet Gum	240L	0.25	Fall	Medium	No	No	11/15/2015	crown raising to 12ft
3	29	<i>Eriobotrya deflexa</i>	Bronze Loquat	240L	0.25	Spring	Medium	No	No	7/25/2015	clearance to 6ft, 2ft from building
3	30	<i>Corymbia ficifolia</i>	Red Flowering Gum	241B	0.50	Fall	Medium	No	No	11/15/2015	clearance to 6-8ft
3	31	<i>Liquidambar styraciflu</i>	Sweet Gum	241B	0.50	Winter	Medium	No	No	7/25/2015	crown raising to 12ft
3	32	<i>Lagerstroemia indica</i>	Crape Myrtle	241A	0.25	Winter	Medium	No	No	7/25/2015	train to the strongest scaffold
3	33	<i>Ginkgo biloba</i>	Ginkgo Tree	239L	0.00	Winter	High	No	No	7/25/2015	no action
3	34	<i>Schinus terebinthifoliu</i>	Brazilian Pepper	241L	0.75	Winter	Medium	No	No	7/25/2015	crown raising to 6-8ft, remove downpointers to train growth vertical
3	35	<i>Citrus x meyeri</i>	Lemon Tree	241L	0.00	Winter	Low	No	No	7/25/2015	no action
3	36	<i>Callistemon citrinus</i>	Lemon Bottlebrush	242A	0.50	Winter	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof

Mutual 10 Tree Log

Updated 11/15/15

Zone	Site	Latin Name	Common Name	Building Number	Maintenance Now	Next Service	Priority	Removal	Climber?	Last Updated	Notes
3	37	<i>Lagerstroemia indica</i>	Crape Myrtle	241J	0.25	Winter	low	No	No	7/25/2015	train to the strongest scaffold
3	38	<i>Vacant</i>	Vacant	241J		N/A	high	No	No	7/25/2015	new melaleuca?
3	39	<i>Calliandra haematoce</i>	Pink Powder Puff	242D	0.00	Fall	low	No	No	7/25/2015	no action
3	40	<i>Vacant</i>	Vacant	241J			High	No	No	7/25/2015	shade tree
3	41	<i>Vacant</i>	Vacant	241H			High	No	No	7/25/2015	shade tree
3	42	<i>Pinus radiata</i>	Monterey Pine	241G	0.00	Winter	Medium	No	No	7/25/2015	no action
3	43	<i>Ficus rubiginosa</i>	Rusty Leaf Fig	241G	1.00	Spring	Medium	No	No	7/25/2015	crown raise to 8ft
3	44	<i>Vacant</i>	Vacant	242F		N/A	high	No	No	7/25/2015	shade tree (needs stump removal first)
3	45	<i>Ficus benjamina</i>	Weeping Fig	242G	2.00	Winter	High	Yes	No	7/25/2015	clearance to 10ft (remove eventually)
3	46	<i>Schinus molle</i>	Peruvian Pepper	242G	0.50	Fall	Low	No	No	11/15/2015	gentle structural training
3	47	<i>Morus alba</i>	Fruitless Mulberry	242H	2.00	Winter	High	No	No	7/25/2015	crown raise to 10ft, remove downpointers, encourage interior growth, shorten long stems
3	48	<i>Callistemon citrinus</i>	Lemon Bottlebrush	243G	0.25	Winter	Medium	No	No	7/25/2015	clearance to 8ft
3	49	<i>Callistemon citrinus</i>	Lemon Bottlebrush	243G	0.25	Winter	Low	No	No	7/25/2015	clearance to 8ft
3	50	<i>Callistemon viminalis</i>	Bottlebrush	243F	0.08	Fall	Low	No	No	11/15/2015	reduce foliage on southern co-dominant stem
3	51	<i>Callistemon citrinus</i>	Lemon Bottlebrush	243F	0.25	Winter	Medium	No	No	7/25/2015	clearance to 8ft
3	52	<i>Vacant</i>	Vacant	242J		N/A	high	No	No	7/25/2015	large shade tree
3	53	<i>Schinus terebinthifoliu</i>	Brazilian Pepper	242L	0.75	Winter	Medium	No	No	7/25/2015	fringe raising to 6ft
3	54	<i>Cassia leptophylla</i>	Gold Medallion Tree	243E	0.10	Fall	High	No	No	11/15/2015	deadwood removal, inspect stakes and remove them if ready
3	55	<i>Platanus x acerfolia</i>	London Plane Tree	243D	2.00	Spring	Medium	No	yes	7/25/2015	remove deadwood and defects, raise crown to 8ft
3	56	<i>Pinus radiata</i>	Monterey Pine	243A	0.00	Spring	Low	No	No	7/25/2015	no action
3	57	<i>Ficus carica</i>	Edible Fig	243A	0.00	Spring	Low	No	No	7/25/2015	no action
3	58	<i>Callistemon citrinus</i>	Lemon Bottlebrush	245G	0.25	Spring	Medium	No	No	7/25/2015	clearance to 8ft
3	59	<i>Callistemon citrinus</i>	Lemon Bottlebrush	245G	0.25	Spring	Medium	No	No	7/25/2015	clearance to 8ft
3	60	<i>Callistemon viminalis</i>	Bottlebrush	245F	0.25	Spring	Medium	No	No	7/25/2015	clearance to 8ft
3	61	<i>Vacant</i>	Vacant	243H		N/A	Medium	No	No	7/25/2015	small site under power lines
3	62	<i>Callistemon citrinus</i>	Lemon Bottlebrush	243J	0.50	Spring	Medium	No	No	7/25/2015	clearance: 3ft over roof, 8ft over sidewalk, 2ft around power lines
3	63	<i>Callistemon viminalis</i>	Bottlebrush	243L	0.50	Spring	High	No	No	7/25/2015	clearance: 3ft over roof, 8ft over sidewalk, 2ft around power lines
3	64	<i>Callistemon citrinus</i>	Lemon Bottlebrush	244H	0.50	Spring	High	No	No	7/25/2015	clearance: 3ft over roof, 8ft over sidewalk, 2ft around power lines
3	65	<i>Pyrus kawakamii</i>	Evergreen Pear	244J	1.50	Winter	High	No	No	7/25/2015	remove fireblight tissue; clearance: 3ft over roof, 8ft over sidewalk, 2ft around power lines
3	66	<i>Callistemon citrinus</i>	Lemon Bottlebrush	244L	0.50	Spring	Medium	No	No	7/25/2015	clearance: 3ft over roof, 8ft over sidewalk, 2ft around power lines
3	67	<i>Callistemon citrinus</i>	Lemon Bottlebrush	245L	0.50	Spring	Medium	No	No	7/25/2015	clearance: 3ft over roof, 8ft over sidewalk
3	68	<i>Pyrus kawakamii</i>	Evergreen Pear	245J	0.75	Spring	Medium	No	No	7/25/2015	clearance: 3ft over roof, 6-8ft over grass and sidewalk
3	69	<i>Vacant</i>	Vacant	244D			Medium	No	No	7/25/2015	pear tree failed and was removed
3	70	<i>Bauhinia x blakeana</i>	Hong Kong Orchid	245H	0.25	Spring	Medium	No	No	7/25/2015	clearance to 6ft
3	71	<i>Callistemon citrinus</i>	Lemon Bottlebrush	244E	0.25	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
3	72	<i>Alnus rhombifolia</i>	White Alder	245F	1.50	Winter	Medium	No	No	7/25/2015	crown raising to 8ft
3	73	<i>Pinus canariensis</i>	Canary Island Pine	245E	2.00	Winter	Medium	No	Yes	7/25/2015	crown raise to 10ft, aerial inspection, remove deadwood
3	74	<i>Ficus benjamina</i>	Weeping Fig	246H	1.00	Winter	high	yes	No	7/25/2015	clearance to 10ft (remove eventually)
3	75	<i>Juniper chinensis</i>	Hollywood Juniper	245D	0.00	Spring	Low	No	No	7/25/2015	no action
3	76	<i>Geijera parviflora</i>	Australian Willow	246J	0.00	Winter	Medium	No	No	7/25/2015	no action
3	77	<i>Callistemon citrinus</i>	Lemon Bottlebrush	245C	0.33	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof
3	78	<i>Morus alba</i>	Fruitless Mulberry	245B	2.00	Winter	High	No	No	7/25/2015	crown raise to 8ft, remove downpointers, shorten long whips
3	79	<i>Callistemon citrinus</i>	Lemon Bottlebrush	245A	0.33	Spring	Medium	No	No	7/25/2015	clearance to 8ft over sidewalk and 3ft over roof